

**NAME**

t1dotlessj – create a dotless-j PostScript Type 1 font

**SYNOPSIS**

**t1dotlessj** [OPTIONS...] *font* [*outputfile*]

**DESCRIPTION**

**T1dotlessj** creates a PostScript Type 1 font whose only character is a dotless 'j' matching the input font's design. It works simply by removing the dot from the input font's 'j'. The output font has three characters: '.notdef', 'space', and 'uni0237', where 'uni0237' is the dotless 'j'. The command fails if the input font already has a dotless 'j' character, or if there seems to be no dot to remove. T1dotlessj writes the created PFA or PFB font to the standard output (but see the **--output** option); if no input file is supplied, it reads a PFA or PFB font from the standard input.

**OPTIONS**

**--output=***file*, **-o** *file*

Send output to *file* instead of standard output.

**--pfb**, **-b**

Output a PFB font. This is the default.

**--pfa**, **-a**

Output a PFA font.

**--name=***name*, **-n** *name*

Set the output font's PostScript name to *name*. The default is *InputFontNameLCDFJ*.

**-q**, **--quiet**

Do not generate any error messages.

**-h**, **--help**

Print usage information and exit.

**-v**, **--version**

Print the version number and some short non-warranty information and exit.

**RETURN VALUES**

**T1dotlessj** exits with one of the following values:

- 0 A dotless-j font was successfully generated.
- 1 The font already contained a dotless-j character.
- 2 The font's "j" character had no dot to remove.
- 3 The font had no "j" character.
- >3 An error occurred.

**SEE ALSO**

*Adobe Type 1 Font Format*

**AUTHOR**

Eddie Kohler (kohler@cs.ucla.edu)