

NAME

`ttftotype42` – create PostScript Type 42 wrapper of TrueType font

SYNOPSIS

ttftotype42 [*input* [*output*]]

DESCRIPTION

Ttftotype42 converts TrueType or TrueType-flavored OpenType font programs into PostScript Type 42 format, which is a wrapper for the TrueType outlines. This conversion preserves all outlines and hint information from the original TrueType font. The Type 42 wrapper uses glyph names identical to those expected by **pdflatex**(1) or **otftotfm**(1), so encoding files suitable for TrueType fonts and **pdflatex** will also work for the Type 42 fonts and **dvips**(1). If the file *output* is not specified output goes to the standard output. If the file *input* is not specified input comes from the standard input.

OPTIONS

-o file, --output file

Write output font to *file* instead of the standard output.

-q, --quiet

Do not generate any error messages.

-h, --help

Print usage information and exit.

-v, --version

Print the version number and some short non-warranty information and exit.

SEE ALSO

cfftot1(1), **otftotfm**(1), **pdftex**(1), **dvips**(1)

Adobe Technical Note #5012, *The Type 42 Font Format Specification*

OpenType Specification, Version 1.4

AUTHOR

Eddie Kohler (kohler@cs.ucla.edu)

The latest version is available from:

<http://www.lcdf.org/type/>